INDEX TO AUTHORS.

A

Arey, L. B. See CROZIER and AREY, 107

B

Bailey, I. W. The significance of the cambium in the study of certain physiological problems, 519

Baas-Becking, Lourens G. M. See HAMPTON and BAAS-BECKING, 635

Bright, Elizabeth M. See REDFIELD and BRIGHT, 25, 31

Brooks, Matilda Moldenhauer. Comparative studies on respiration. VIII. The respiration of *Bacillus subtilis* in relation to antagonism, 5

—. X. Toxic and antagonistic effects of magnesium in relation to the respiration of *Bacillus subtilis*, 331

C

Carey, Eben J. Studies in the dynamics of histogenesis. I. Tension of differential growth as a stimulus to myogenesis, 357

Chambers, Robert. Changes in protoplasmic consistency and their relation to cell division, 49

Cohn, Edwin J., Gross, Joseph, and Johnson, Omer C. The isoelectric points of the proteins in certain vegetable juices, 145

Crozier, W. J. The analysis of neuromuscular mechanisms in Chiton, 627

Crozier, W. J., and Arey, L. B. The heliotropism of *Onchidium*: a problem in the analysis of animal conduct, 107

F

Falk, K. George. See MCGUIRE and FALK, 215

G

Gaskell, J. F. Adrenalin in annelids. A contribution to the comparative study of the origin of the sympathetic and the adrenalin-secreting systems and of the vascular muscles which they regulate, 73

Gross, Joseph. See COHN, GROSS, and JOHNSON, 145

Gustafson, F. G. Comparative studies on respiration. IX. The effects of antagonistic salts on the respiration of *Aspergillus niger*, 17

—. XI. The effect of hydrogen ion concentration on the respiration of *Penicillium chrysogenum*, 617

H

Hampton, Harold Clark, and Baas-Becking, Lourens G. M. The kinetics of the action of catalase extract from marine algæ, with a note on oxidase, 635

Harvey, E. Newton. Studies on bioluminescence. X. Carbon dioxide production during luminescence of *Cypridina* luciferin, 133

Harvey, E. Newton. Studies on bioluminescence. XI. Heat production during luminescence of *Cypridina* luciferin, 137
—. XII. The action of acid and of light in the reduction of *Cypridina* oxyluciferin, 207
Harvey, R. B. Apparatus for measurement of oxidase and catalase activity, 253
Hecht, Selig. The dark adaptation of the human eye, 499
—. Intensity and the process of photoreception, 337
—. The photochemical nature of the photosensory process, 229

J

Johnson, Omer C. See COHN, GROSS, and JOHNSON, 145

K

Krafka, Joseph, Jr. The effect of temperature upon facet number in the bar-eyed mutant of *Drosophila*. Part I, 409
—. Part II, 433
—. Part III, 445

L

Linhart, George A. The free energy of biological processes. Preliminary paper, 247
Loeb, Jacques. Electrification of water and osmotic pressure, 87
—. Influence of the concentration of electrolytes on the electrification and the rate of diffusion of water through collodion membranes, 173
—. Influence of the concentration of electrolytes on some physical properties of colloids and of crystalloids, 273
—. Influence of a slight modification of the collodion membrane on the sign of the electrification of water, 255
Loeb, Jacques. Ionic radius and ionic efficiency, 673
—. The nature of the directive influence of gravity on the arrangement of organs in regeneration, 373
—. On the cause of the influence of ions on the rate of diffusion of water through collodion membranes. I, 387
—. On the cause of the influence of ions on the rate of diffusion of water through collodion membranes. II, 563
—. Quantitative laws in regeneration. I, 297
—. Quantitative laws in regeneration. II, 651
—. The reversal of the sign of the charge of collodion membranes by trivalent cations, 659
—. The reversal of the sign of the charge of membranes by hydrogen ions, 577

M

Maxwell, S. S. Labyrinth and equilibrium. I. A comparison of the effect of removal of the otolith organs and of the semicircular canals, 123
—. II. The mechanism of the dynamic functions of the labyrinth, 349
McGuire, Grace, and **Falk, K. George.** Studies on enzyme action. XVIII. The saccharogenic actions of potato juice, 215
Moore, A. R. The action of strychnine and nicotine on the neuromuscular mechanism of *Asterias*, 201
—. Stereotropism as a function of neuromuscular organization, 319

N

Northrop, John H. The combination of enzyme and substrate. I. A method for the quantitative determination of pepsin. II. The effect of the hydrogen ion concentration, 113

—. Concerning the hereditary adaptation of organisms to higher temperature, 313

—. A device for regulating the temperature of incubators either above or below room temperature, 309

—. The effect of the concentration of enzyme on the rate of digestion of proteins by pepsin, 471

—. The influence of hydrogen ion concentration on the inactivation of pepsin solutions, 465

—. The influence of the substrate concentration on the rate of hydrolysis of proteins by pepsin, 595

O

Osterhout, W. J. V. Comparative studies on respiration. VII. Respiration and antagonism. Introductory note, 1

P

Parmenter, Charles L. The chromosomes of parthenogenetic frogs, 205

R

Raber, Oran L. The antagonistic action of anions, 541

—. A quantitative study of the effect of anions on the permeability of plant cells, 535

Redfield, Alfred C., and **Bright, Elizabeth M.** The relative physiological effects of β-rays of different velocities, 31

— and —. The relative physiological effects of β- and γ-rays upon the egg of *Nereis*, 25

Reed, H. S. The nature of the growth rate, 545

S

Schmitz, Henry. Enzyme action in *Echinodontium tinctorium* Ellis and Everhart, 613

Swingle, W. W. Iodine and the thyroid. IV. Quantitative experiments on iodine feeding and metamorphosis, 161

U

Uhlenhuth, Eduard. Regeneration and neoteny, 325

Z

Zeleny, Charles. A change in the bar gene of *Drosophila* involving further decrease in facet number and increase in dominance, 69

INDEX TO SUBJECTS.

A

Acid:
Action in reduction of *Cypridina* oxyluciferin (HARVEY) 207

Activity:
Catalase, apparatus for measurement of (HARVEY) 253
Oxidase, apparatus for measurement of (HARVEY) 253

Adaptation:
Dark, of the human eye (HECHT) 499
Hereditary, of organisms to higher temperature (NORTHROP) 313

Adrenalin:
Annelids (GASKELL) 73
secreting system, comparative study of origin of (GASKELL) 73

Alga:
Marine, kinetic action of catalase extract from (HAMPTON and BAAS-BECKING) 635

Anion:
Antagonistic action (RABER) 541
Effect on permeability of plant cells (RABER) 535

Annelid:
Adrenalin in (GASKELL) 73

Antagonism:
(OSTERHOUT) 1
Anions, antagonistic action of (RABER) 541
Effects of antagonistic salts on respiration of *Aspergillus niger* (GUSTAFSON) 17

Antagonism—*continued:*
Magnesium, antagonistic effect of, in relation to respiration of *Bacillus subtilis* (BROOKS) 331
Relation to respiration of *Bacillus subtilis* (BROOKS) 5

Apparatus:
Measurement of catalase activity (HARVEY) 253
— — oxidase activity (HARVEY) 253

Aspergillus:
niger, effects of antagonistic salts on respiration of (GUSTAFSON) 17

Asterias:
Action of nicotine on neuromuscular mechanism of (MOORE) 201
— — strychnine on neuromuscular mechanism of (MOORE) 201

B

Bacillus:
subtilis, antagonistic effect of magnesium in relation to respiration of (BROOKS) 331
—, respiration of, in relation to antagonism (BROOKS) 5
—, toxic effect of magnesium in relation to respiration of (BROOKS) 331

Bar:
Gene, of *Drosophila*, change involving further decrease in facet number (ZELENY) 69

Bar—*continued:*
Gene, of *Drosophila*, change involving increase in dominance (ZELENY) 69
Bar-eye:
Effect of temperature upon facet number in bar-eyed mutant of *Drosophila* (KRAFKA) 409, 433, 445
Biology:
Free energy of biological processes (LINHART) 247
Bioluminescence:
(HARVEY) 133, 137, 207

C

Cambium:
Significance of, in the study of certain physiological problems (BAILEY) 519
Canal:
Semicircular, effect of removal of (MAXWELL) 123
Carbon dioxide:
Production during luminescence of *Cypridina* luciferin (HARVEY) 133
Catalase:
Activity, apparatus for measurement (HARVEY) 253
Extract, from marine algæ, kinetic action (HAMPTON and BAAS-BECKING) 635
Cation:
Trivalent, reversal of sign of charge of collodion membranes by (LOEB) 659
Cell:
Division, changes in protoplasmic consistency, relation to (CHAMBERS) 49
Plant, effect of anions on the permeability of (RABER) 535
Charge:
Collodion membranes, reversal of sign by trivalent cations (LOEB) 659
Charge—*continued:*
Membranes, reversal of sign, by hydrogen ions (LOEB) 577
Chiton:
Neuromuscular mechanisms in, analysis of (CROZIER) 627
Chromosomes:
Parthenogenetic frogs (PARMENTER) 205
Chrysogenum:
Penicillium, effect of hydrogen ion concentration on respiration of (GUSTAFSON) 617
Collodion:
Membranes, cause of influence of ions on rate of diffusion of water through (LOEB) 387, 563
—, influence of electrolytes on rate of diffusion of water through (LOEB) 173
—, — — slight modification of, on sign of electrification of water (LOEB) 255
—, reversal of sign of charge by trivalent cations (LOEB) 659
Colloid:
Influence of concentration of electrolytes on some physical properties of (LOEB) 273
Concentration:
Electrolytes, influence on electrification of water (LOEB) 173
—, — — rate of diffusion of water through collodion membranes (LOEB) 173
—, — — some physical properties of colloids (LOEB) 273

Concentration—*continued:*
Electrolytes, influence on some physical properties of crystalloids (LOEB) 273
Enzyme, effect on rate of digestion of proteins by pepsin solution (NORTHROP) 471
Substrate, influence on rate of hydrolysis of protein by pepsin (NORTHROP) 595
Conduct:
Animal, analysis of (CROZIER and AREY) 107
Consistency:
Protoplasmic, changes in, relation to cell division (CHAMBERS) 49
Crystalloids:
Influence of concentration of electrolytes on some physical properties of (LOEB) 273
Cypridina:
Luciferin, carbon dioxide production during luminescence of (HARVEY) 133
—, heat production during luminescence of (HARVEY) 137
Oxyluciferin, action of acid in reduction of (HARVEY) 207
—, — — light in reduction of (HARVEY) 207

D

Decrease:
Facet number, change in bar gene of *Drosophila* involving (ZELENY) 69
Device:
Regulating temperature above room temperature (NORTHROP) 309
— — below room temperature (NORTHROP) 309
Diffusion:
Rate, of water, through collodion membranes (LOEB) 173
—, — —, through collodion membranes, cause of influence of ions (LOEB) 387, 563
Digestion:
Rate, of proteins by pepsin, effect of concentration of enzyme on (NORTHROP) 471
Division:
Cell, changes in protoplasmic consistency, relation to (CHAMBERS) 49
Dominance:
Change in bar gene of *Drosophila* involving increase in (ZELENY) 69
Drosophila:
Bar-eyed mutant of, effect of temperature upon facet number (KRAFKA) 409, 433, 445
Change in bar gene of, involving decrease in facet number (ZELENY) 69
— — — gene of, involving increase in dominance (ZELENY) 69
Dynamics:
Functions, dynamic, of labyrinth, mechanism of (MAXWELL) 349
Histogenesis (CAREY) 357

E

Echinodontium:
tinctorium Ellis and Everhart, enzyme action (SCHMITZ) 613
Efficiency:
Ionic (LOEB) 673
Egg:
Nereis, relative physiological effects of β-rays upon (REDFIELD and BRIGHT) 25

Egg—*continued:*
Nereis, relative physiological effects of γ-rays upon (REDFIELD and BRIGHT) 25
Electrification:
Water (LOEB) 87
—, influence of concentration of electrolytes on (LOEB) 173
—, — — slight modification of collodion membrane on sign (LOEB) 255
Electrolyte:
Concentration, influence on electrification of water (LOEB) 173
Influence of concentration of, on some physical properties of colloids (LOEB) 273
— — — of, on some physical properties of crystalloids (LOEB) 273
Equilibrium:
(MAXWELL) 123, 349
Energy:
Free, of biological processes (LINHART) 247
Enzyme:
(NORTHROP) 113
Action (MCGUIRE and FALK) 215
— in *Echinodontium tinctorium* Ellis and Everhart (SCHMITZ) 613
Effect of concentration of, on rate of digestion of proteins by pepsin (NORTHROP) 471
Extract:
Catalase, from marine algæ, kinetic action (HAMPTON and BAAS-BECKING) 635
Eye:
Human, dark adaptation of (HECHT) 499

F

Facet:
Number, change in bar gene of *Drosophila* involving decrease in (ZELENY) 69
—, effect of temperature on, in bar-eyed mutant of *Drosophila* (KRAFKA) 409, 433, 445
Feeding:
Iodine, quantitative experiments (SWINGLE) 161
Frogs:
Parthenogenetic, chromosomes of (PARMENTER) 205

G

Gene:
Bar, of *Drosophila*, change in, involving decrease in facet number (ZELENY) 69
—, — —, change in, involving increase in dominance (ZELENY) 69
Gravity:
Nature of directive influence of, on arrangement of organs in regeneration (LOEB) 373
Growth:
Differential, tension of, as a stimulus to myogenesis (CAREY) 357
Rate, nature of (REED) 545

H

Heat:
Production, during luminescence of *Cypridina* luciferin (HARVEY) 137
Heliotropism:
Onchidium, analysis of animal conduct (CROZIER and AREY) 107
Heredity:
Hereditary adaptation of organisms to higher temperature (NORTHROP) 313

Histogenesis:
Dynamics of (CAREY) 357
Hydrogen:
Ions, reversal of sign of charge of membranes by (LOEB) 577
Hydrogen ion:
Concentration, effect (NORTHROP) 113
—, — on respiration of *Penicillium chrysogenum* (GUSTAFSON) 617
—, influence on inactivation of pepsin solutions (NORTHROP) 465
Hydrolysis:
Rate, of proteins by pepsin, influence of substrate concentration (NORTHROP) 595

I

Inactivation:
Influence of hydrogen ion concentration on, of pepsin solutions (NORTHROP) 465
Increase:
Dominance, change in bar gene of *Drosophila* involving (ZELENY) 69
Incubator:
Temperature of, device for regulating, above room temperature (NORTHROP) 309
— —, — for regulating, below room temperature (NORTHROP) 309
Intensity:
(HECHT) 337
Iodine:
(SWINGLE) 161
Feeding, quantitative experiments (SWINGLE) 161
Ion:
Cause of influence of, on rate of diffusion of water through collodion membranes (LOEB) 387, 563
Hydrogen, reversal of sign of charge of membranes by (LOEB) 577
Ionic:
Efficiency (LOEB) 673
Radius (LOEB) 673
Isoelectric point:
Proteins in certain vegetable juices, isoelectric points of (COHN, GROSS, and JOHNSON) 145

J

Juice:
Potato, saccharogenic actions of (MCGUIRE and FALK) 215
Vegetable, isoelectric points of proteins in (COHN, GROSS, and JOHNSON) 145

K

Kinetics:
Action of catalase extract from marine algæ (HAMPTON and BAAS-BECKING) 635

L

Labyrinth:
(MAXWELL) 123, 349
Dynamic functions of, mechanism (MAXWELL) 349
Light:
Action in reduction of *Cypridina* oxyluciferin (HARVEY) 207
Luciferin:
Cypridina, carbon dioxide production during luminescence of (HARVEY) 133
—, heat production during luminescence of (HARVEY) 137

Luminescence:
Cypridina luciferin, carbon dioxide production during (HARVEY) 133
— —, heat production during (HARVEY) 137

M

Magnesium:
Antagonistic effect in relation to respiration of *Bacillus subtilis* (BROOKS) 331
Toxic effect in relation to respiration of *Bacillus subtilis* (BROOKS) 331
Mechanism:
Dynamic functions of labyrinth (MAXWELL) 349
Neuromuscular, in Chiton, analysis of (CROZIER) 627
—, of *Asterias*, action of nicotine on (MOORE) 201
—, — —, action of strychnine on (MOORE) 201
Membrane:
Collodion, influence of slight modification of, on sign of electrification of water (LOEB) 255
—, rate of diffusion of water through, cause of influence of ions (LOEB) 387, 563
—, — — diffusion of water through, influence of electrolytes (LOEB) 173
—, reversal of sign of charge by trivalent cations (LOEB) 659
Reversal of sign of charge of, by hydrogen ions (LOEB) 577
Metamorphosis:
Quantitative experiments (SWINGLE) 161
Modification:
Slight, of collodion membrane, influence on sign of electrification of water (LOEB) 255
Muscle:
Vascular, comparative study of origin of (GASKELL) 73
Mutant:
Bar-eyed, of *Drosophila*, effect of temperature upon facet number (KRAFKA) 409, 433, 445
Myogenesis:
Tension of differential growth as a stimulus to (CAREY) 357

N

Neoteny:
(UHLENHUTH) 325
Nereis:
Egg, relative physiological effect of β-rays upon (REDFIELD and BRIGHT) 25
—, — — effect of γ-rays upon (REDFIELD and BRIGHT) 25
Neuromuscular:
Mechanism of *Asterias*, action of nicotine on (MOORE) 201
— — —, action of strychnine on (MOORE) 201
Mechanisms, in Chiton, analysis of (CROZIER) 627
Organization, stereotropism as function of (MOORE) 319
Nicotine:
Action on neuromuscular mechanism of *Asterias* (MOORE) 201
Niger:
Aspergillus, effects of antagonistic salts on respiration of (GUSTAFSON) 17

O

Onchidium:
Heliotropism of, analysis of animal conduct (CROZIER and AREY) 107

Organ:
Arrangement, in regeneration, nature of directive influence of gravity on (LOEB) 373
Otolith, effect of removal of (MAXWELL) 123

Organism:
Hereditary adaptation of, to higher temperature (NORTHROP) 313

Organization:
Neuromuscular, stereotropism as function of (MOORE) 319

Origin:
Adrenalin-secreting system (GASKELL) 73
Sympathetic system (GASKELL) 73
Vascular muscles (GASKELL) 73

Osmosis:
Osmotic pressure (LOEB) 87

Oxidase:
(HAMPTON and BAAS-BECKING) 635
Activity, apparatus for measurement (HARVEY) 253

Oxyluciferin:
Cypridina, action of acid in reduction of (HARVEY) 207
—, — — light in reduction of (HARVEY) 207

P

Parthenogenesis:
Chromosomes of parthenogenetic frogs (PARMENTER) 205

Penicillium:
chrysogenum, effect of hydrogen ion concentration on respiration of (GUSTAFSON) 617

Pepsin:
Effect of concentration of enzyme on rate of digestion of proteins by (NORTHROP) 471
Quantitative determination (NORTHROP) 113
Rate of hydrolysis of proteins by, influence of substrate concentration (NORTHROP) 595
Solutions, influence of hydrogen ion concentration on the inactivation of (NORTHROP) 465

Permeability:
Plant cells, effect of anions on (RABER) 535

Photochemistry:
Photochemical nature of the photosensory process (HECHT) 229

Photoreception:
Process (HECHT) 337

Photosensory:
Process, photochemical nature of (HECHT) 229

Physiology:
Relative physiological effects of β-rays of different velocities (REDFIELD and BRIGHT) 31
— — — of β-rays upon the egg of *Nereis* (REDFIELD and BRIGHT) 25
— — — of γ-rays upon the egg of *Nereis* (REDFIELD and BRIGHT) 25
Significance of cambium in the study of certain physiological problems (BAILEY) 519

Plant:
Cells, effect of anions on the permeability of (RABER) 535
Potato:
Juice, saccharogenic actions of (MCGUIRE and FALK) 215
Pressure:
Osmotic (LOEB) 87
Production:
Carbon dioxide, during luminescence of *Cypridina* luciferin (HARVEY) 133
Heat, during luminescence of *Cypridina* luciferin (HARVEY) 137
Protein:
Isoelectric points of, in certain vegetable juices (COHN, GROSS, and JOHNSON) 145
Rate of digestion of, by pepsin, effect of concentration of enzyme on (NORTHROP) 471
— — hydrolysis, by pepsin, influence of substrate concentration (NORTHROP) 595
Protoplasm:
Changes in consistency, relation to cell division (CHAMBERS) 49

R

Radius:
Ionic (LOEB) 673
Rate:
Growth, nature of (REED) 545
β-ray:
Different velocities, relative physiological effects of (REDFIELD and BRIGHT) 31
Relative physiological effect of, upon the egg of *Nereis* (REDFIELD and BRIGHT) 25
γ-ray:
Relative physiological effect of, upon the egg of *Nereis* (REDFIELD and BRIGHT) 25
Reduction:
Cypridina oxyluciferin, action of acid in (HARVEY) 207
— —, — of light in (HARVEY) 207
Regeneration:
(UHLENHUTH) 325
Nature of directive influence of gravity on arrangement of organs in (LOEB) 373
Quantitative laws (LOEB) 297, 651
Removal:
Otolith organs, effect of (MAXWELL) 123
Semicircular canals, effect of (MAXWELL) 123
Respiration:
(BROOKS) 5, 331
(GUSTAFSON) 17, 617
(OSTERHOUT) 1
Aspergillus niger, effects of antagonistic salts on (GUSTAFSON) 17
Bacillus subtilis, antagonistic effect of magnesium in relation to (BROOKS) 331
— —, relation to antagonism (BROOKS) 5
— —, toxic effect of magnesium in relation to (BROOKS) 331
Penicillium chrysogenum, effect of hydrogen ion concentration (GUSTAFSON) 617
Reversal:
Sign of charge of collodion membranes by trivalent cations (LOEB) 659
— — — of membranes by hydrogen ions (LOEB) 577

S

Salt(s):
Antagonistic, effect on respiration of *Aspergillus niger* (GUSTAFSON) 17

Sign:
Charge, reversal of, of membranes by hydrogen ions (LOEB) 577
Collodion membranes, reversal of charge (LOEB) 659
Electrification of water, influence of a slight modification of collodion membrance on (LOEB) 255

Stereotropism:
Function of neuromuscular organization (MOORE) 319

Stimulus:
Tension of differential growth as, to myogenesis (CAREY) 357

Strychnine:
Action on neuromuscular mechanism of *Asterias* (MOORE) 201

Substrate:
(NORTHROP) 113
Concentration, influence on rate of hydrolysis of proteins by pepsin (NORTHROP) 595

Subtilis:
Bacillus, antagonistic effect of magnesium in relation to respiration of (BROOKS) 331
—, respiration of, in relation to antagonism (BROOKS) 5
—, toxic effect of magnesium in relation to respiration of (BROOKS) 331

System:
Adrenalin-secreting, comparative study of origin of (GASKELL) 73
System—*continued:*
Sympathetic, comparative study of origin of (GASKELL) 73

T

Temperature:
Effect, upon facet number in bar-eyed mutant of *Drosophila* (KRAFKA) 409, 433, 445
Higher, hereditary adaptation of organisms to (NORTHROP) 313
Incubators, device for regulating, above room temperature (NORTHROP) 309
—, — — regulating, below room temperature (NORTHROP) 309
Room, device for regulating temperature of incubators above (NORTHROP) 309
—, — — regulating temperature of incubators below (NORTHROP) 309

Tension:
Differential growth as a stimulus to myogenesis (CAREY) 357

Thyroid:
(SWINGLE) 161

Tinctorium:
Echinodontium, Ellis and Everhart, enzyme action (SCHMITZ) 613

Toxicity:
Magnesium, toxic effect of, in relation to respiration of *Bacillus subtilis* (BROOKS) 331

V

Velocity:
β-rays of different velocities, relative physiological effects (REDFIELD and BRIGHT) 31

W

Water:
Diffusion, rate of, through collodion membranes, cause of influence of ions (LOEB) 387, 563
—, — —, through collodion membranes, influence of electrolytes (LOEB) 173
Electrification (LOEB) 87
—, influence of slight modification of collodion membrane on sign (LOEB) 255